

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
2,5	12	PGWVZV001002500123	5410439001014	PZ 1	5	200	28800
	16	PGWVZV001002500163	5410439001021	PZ 1	5	200	28800
	20	PGWVZV001002500203	5410439001038	PZ 1	5	200	28800
3,0	10	PGWVZV001003000103	5410439208307	PZ 1	6	200	28800
	12	PGWVZV001003000123	5410439001045	PZ 1	6	200	28800
	16	PGWVZV001003000163	5410439001052	PZ 1	6	200	28800
	20	PGWVZV001003000203	5410439001069	PZ 1	6	200	16000
	25	PGWVZV001003000253	5410439001076	PZ 1	6	200	16000
	30	PGWVZV001003000303	5410439001083	PZ 1	6	200	16000
	35	PGWVZV001003000353	5410439001090	PZ 1	6	200	12000
	40	PGWVZV001003000403	5410439001106	PZ 1	6	200	9600
45	PGWVZV001003000453	5410439117418	PZ 1	6	200	7200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
3,0	10	PGWVZV001003000102	5410439105248	PZ 1	6	1000	48000
	12	PGWVZV001003000122	5410439105965	PZ 1	6	1000	48000
	16	PGWVZV001003000162	5410439105972	PZ 1	6	1000	48000
	20	PGWVZV001003000202	5410439105989	PZ 1	6	1000	36000
	25	PGWVZV001003000252	5410439105996	PZ 1	6	1000	24000
	30	PGWVZV001003000302	5410439106009	PZ 1	6	1000	16000
	35	PGWVZV001003000352	5410439106016	PZ 1	6	1000	16000
	40	PGWVZV001003000402	5410439106023	PZ 1	6	1000	12000

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
--------	--------	----------	----------	----	---------	--	--

**STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG**

3,5	12	PGWVZV001003500123	5410439001113	PZ 2	7	200	28800
	16	PGWVZV001003500163	5410439001120	PZ 2	7	200	16000
	20	PGWVZV001003500203	5410439001137	PZ 2	7	200	16000
	25	PGWVZV001003500253	5410439001144	PZ 2	7	200	16000
	30	PGWVZV001003500303	5410439001151	PZ 2	7	200	12000
	35	PGWVZV001003500353	5410439001168	PZ 2	7	200	12000
	40	PGWVZV001003500403	5410439001175	PZ 2	7	200	7200
	45	PGWVZV001003500453	5410439001182	PZ 2	7	200	7200
	50	PGWVZV001003500503	5410439001199	PZ 2	7	200	7200

**INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG**

3,5	12	PGWVZV001003500122	5410439106030	PZ 2	7	1000	48000
	16	PGWVZV001003500162	5410439106047	PZ 2	7	1000	36000
	20	PGWVZV001003500202	5410439106054	PZ 2	7	1000	36000
	25	PGWVZV001003500252	5410439106061	PZ 2	7	1000	16000
	30	PGWVZV001003500302	5410439106078	PZ 2	7	1000	16000
	35	PGWVZV001003500352	5410439106085	PZ 2	7	1000	12000
	40	PGWVZV001003500402	5410439106092	PZ 2	7	1000	8000
	45	PGWVZV001003500452	5410439106108	PZ 2	7	1000	8000
	50	PGWVZV001003500502	5410439106115	PZ 2	7	500	6000

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
4,0	12	PGWVZV001004000123	5410439001205	PZ 2	8	200	28800
	16	PGWVZV001004000163	5410439001212	PZ 2	8	200	16000
	20	PGWVZV001004000203	5410439001229	PZ 2	8	200	16000
	25	PGWVZV001004000253	5410439001236	PZ 2	8	200	12000
	30	PGWVZV001004000303	5410439001243	PZ 2	8	200	12000
	35	PGWVZV001004000353	5410439001250	PZ 2	8	200	9600
	40	PGWVZV001004000403	5410439001267	PZ 2	8	200	7200
	45	PGWVZV001004000453	5410439001274	PZ 2	8	200	7200
	50	PGWVZV001004000503	5410439001281	PZ 2	8	200	7200
	55	PGWVZV001004000553	5410439001298	PZ 2	8	200	4800
60	PGWVZV001004000603	5410439001304	PZ 2	8	200	4800	
70	PGWVZV001004000703	5410439001311	PZ 2	8	200	3200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
4,0	12	PGWVZV001004000122	5410439106122	PZ 2	8	1000	36000
	16	PGWVZV001004000162	5410439106139	PZ 2	8	1000	36000
	20	PGWVZV001004000202	5410439106146	PZ 2	8	1000	24000
	25	PGWVZV001004000252	5410439106153	PZ 2	8	1000	16000
	30	PGWVZV001004000302	5410439106160	PZ 2	8	1000	16000
	35	PGWVZV001004000352	5410439106177	PZ 2	8	1000	12000
	40	PGWVZV001004000402	5410439106184	PZ 2	8	1000	8000
	45	PGWVZV001004000452	5410439106191	PZ 2	8	500	8000
	50	PGWVZV001004000502	5410439106207	PZ 2	8	500	6000
	55	PGWVZV001004000552	5410439106214	PZ 2	8	500	4000
	60	PGWVZV001004000602	5410439106221	PZ 2	8	500	4000
	70	PGWVZV001004000702	5410439106238	PZ 2	8	500	4000

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**

avec filet complet, trempée et lubrifiée



**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



EN 14592

DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
--------	--------	----------	----------	----	---------	--	--

**STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG**

4,5	16	PGWVZV001004500163	5410439001335	PZ 2	9	200	16000
	20	PGWVZV001004500203	5410439001342	PZ 2	9	200	12000
	25	PGWVZV001004500253	5410439001359	PZ 2	9	200	12000
	30	PGWVZV001004500303	5410439001366	PZ 2	9	200	9600
	35	PGWVZV001004500353	5410439001373	PZ 2	9	200	7200
	40	PGWVZV001004500403	5410439001380	PZ 2	9	200	7200
	45	PGWVZV001004500453	5410439001397	PZ 2	9	200	7200
	50	PGWVZV001004500503	5410439001403	PZ 2	9	200	4800
	55	PGWVZV001004500553	5410439001410	PZ 2	9	200	4800
60	PGWVZV001004500603	5410439001427	PZ 2	9	200	3200	

**INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG**

4,5	16	PGWVZV001004500162	5410439106245	PZ 2	9	1000	16000
	20	PGWVZV001004500202	5410439106252	PZ 2	9	1000	16000
	25	PGWVZV001004500252	5410439106269	PZ 2	9	1000	16000
	30	PGWVZV001004500302	5410439106276	PZ 2	9	1000	12000
	35	PGWVZV001004500352	5410439106283	PZ 2	9	500	8000
	40	PGWVZV001004500402	5410439106290	PZ 2	9	500	8000
	45	PGWVZV001004500452	5410439106306	PZ 2	9	500	6000
	50	PGWVZV001004500502	5410439106313	PZ 2	9	500	6000
	55	PGWVZV001004500552	5410439106320	PZ 2	9	500	4000
	60	PGWVZV001004500602	5410439106337	PZ 2	9	500	4000
	65	PGWVZV001004500652	5410439239295	PZ 2	9	500	4000
	70	PGWVZV001004500702	5410439106344	PZ 2	9	200	3200

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
5,0	16	PGWVZV001005000163	5410439001458	PZ 2	10	200	12000
	20	PGWVZV001005000203	5410439001465	PZ 2	10	200	9600
	25	PGWVZV001005000253	5410439001472	PZ 2	10	200	9600
	30	PGWVZV001005000303	5410439001489	PZ 2	10	200	7200
	35	PGWVZV001005000353	5410439001496	PZ 2	10	200	7200
	40	PGWVZV001005000403	5410439001502	PZ 2	10	200	7200
	45	PGWVZV001005000453	5410439001519	PZ 2	10	200	4800
	50	PGWVZV001005000503	5410439001526	PZ 2	10	200	4800
	55	PGWVZV001005000553	5410439001533	PZ 2	10	200	4800
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
5,0	16	PGWVZV001005000162	5410439106368	PZ 2	10	1000	16000
	20	PGWVZV001005000202	5410439106375	PZ 2	10	1000	16000
	25	PGWVZV001005000252	5410439106382	PZ 2	10	1000	12000
	30	PGWVZV001005000302	5410439106399	PZ 2	10	500	8000
	35	PGWVZV001005000352	5410439106405	PZ 2	10	500	8000
	40	PGWVZV001005000402	5410439106412	PZ 2	10	500	6000
	45	PGWVZV001005000452	5410439106429	PZ 2	10	500	6000
	50	PGWVZV001005000502	5410439106436	PZ 2	10	500	4000
	55	PGWVZV001005000552	5410439106443	PZ 2	10	500	4000
	60	PGWVZV001005000602	5410439106450	PZ 2	10	200	3200
	70	PGWVZV001005000702	5410439106467	PZ 2	10	200	2400
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
6,0	30	PGWVZV001006000303	5410439001618	PZ 3	12	200	7200
	35	PGWVZV001006000353	5410439001625	PZ 3	12	200	4800
	40	PGWVZV001006000403	5410439001632	PZ 3	12	200	4800
	45	PGWVZV001006000453	5410439001649	PZ 3	12	200	3200

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPAKUNG</b>							
6,0	30	PGWVZV001006000302	5410439106504	PZ 3	12	500	6000
	35	PGWVZV001006000352	5410439106511	PZ 3	12	500	6000
	40	PGWVZV001006000402	5410439106528	PZ 3	12	500	4000
	45	PGWVZV001006000452	5410439106535	PZ 3	12	500	4000
	50	PGWVZV001006000502	5410439106542	PZ 3	12	200	3200
	55	PGWVZV001006000552	5410439106559	PZ 3	12	200	3200
	60	PGWVZV001006000602	5410439106566	PZ 3	12	200	2400
	70	PGWVZV001006000702	5410439106573	PZ 3	12	200	2400

**PGWVZV****Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed, collated

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt, op band

**Vis à panneaux double tête fraisée, empreinte pozi**


avec filet complet, trempée et lubrifiée, sur bande

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet, auf Band



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPAKUNG</b>							
4,0	25	PGWVZV001004000257	5410439093774	PZ 2	8	1000	6000
	30	PGWVZV001004000307	5410439093781	PZ 2	8	1000	6000
	35	PGWVZV001004000357	5410439093798	PZ 2	8	1000	6000
	40	PGWVZV001004000407	5410439093804	PZ 2	8	1000	6000
	45	PGWVZV001004000457	5410439093811	PZ 2	8	1000	6000
	50	PGWVZV001004000507	5410439093828	PZ 2	8	1000	6000